

# Package: RcmdrPlugin.aRnova (via r-universe)

August 22, 2024

**Type** Package

**Title** R Commander Plug-in for Repeated-Measures ANOVA

**Version** 0.0.5

**Date** 2018-03-03

**Author** Arnaud Travert [aut, cre], Jessica Mange [aut]

**Maintainer** Arnaud Travert <arnaud.travert@unicaen.fr>

**Depends** R (>= 3.2.0)

**Imports** Rcmdr

**Suggests** knitr

**Description** R Commander plug-in for repeated-measures and mixed-design ('split-plot') ANOVA. It adds a new menu entry for repeated measures that allows to deal with up to three within-subject factors and optionally with one or several between-subject factors. It also provides supplementary options to oneWayAnova() and multiWayAnova() functions, such as choice of ANOVA type, display of effect sizes and post hoc analysis for multiWayAnova().

**License** GPL (>= 2)

**LazyLoad** yes

**LazyData** yes

**NeedsCompilation** no

**RoxygenNote** 6.0.1

**VignetteBuilder** knitr

**Date/Publication** 2018-03-03 12:30:33 UTC

**Repository** <https://atravert.r-universe.dev>

**RemoteUrl** <https://github.com/cran/RcmdrPlugin.aRnova>

**RemoteRef** HEAD

**RemoteSha** 123fcf99ea8faf8f4596edd3f834fa0761f65ea7

## Contents

generalizedLinearModel_ . . . . .	2
Moore . . . . .	2
multiWayAnova_ . . . . .	3
OBrienKaiser . . . . .	4
oneWayAnova_ . . . . .	5
Pottery . . . . .	6
repMeasAnova . . . . .	7
repMeasAnovaSetup . . . . .	8
<b>Index</b>	<b>9</b>

---

generalizedLinearModel\_  
*Generalized Linear Model*

---

### Description

This is a minor modification of [generalizedLinearModel](#) where size effects are computed and displayed for logistic regression

### Usage

`generalizedLinearModel_()`

### See Also

[generalizedLinearModel](#)

---

Moore                      *Status, Authoritarianism, and Conformity*

---

### Description

The Moore data frame has 45 rows and 4 columns. The data are for subjects in a social-psychological experiment, who were faced with manipulated disagreement from a partner of either of low or high status. The subjects could either conform to the partner's judgment or stick with their own judgment.

### Usage

Moore

**Format**

This data frame contains the following columns:

**partner.status** Partner's status. A factor with levels: high, low.

**conformity** Number of conforming responses in 40 critical trials.

**fcategory** F-Scale Categorized. A factor with levels (note levels out of order): high, low, medium.

**fscore** Authoritarianism: F-Scale score.

**Source**

Moore, J. C., Jr. and Krupat, E. (1971) Relationship between source status, authoritarianism and conformity in a social setting. *Sociometry* **34**, 122–134.

Personal communication from J. Moore, Department of Sociology, York University.

**References**

Fox, J. (2008) *Applied Regression Analysis and Generalized Linear Models*, Second Edition. Sage.

Fox, J. and Weisberg, S. (2011) *An R Companion to Applied Regression*, Second Edition, Sage.

---

multiWayAnova_	<i>Multiway ANOVA</i>
----------------	-----------------------

---

**Description**

This is a modification of `Rcmdr::multiWayAnova()` where supplementary options have been added.

**Usage**

```
multiWayAnova_()
```

**Details**

Options:

- 'SS type' type of sum of squared, default: type = 2. See Details in [Anova](#)
- 'Effect size' compute and prints effect size (partial eta squares)
- 'Summary statistics for groups' prints summary statistics for groups formed by all combinations of factors
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test on significant ( $p < .05$ ) or close to significant ( $p < 0.1$ ) effects.

On OK, the following operations are carried out:

- Computes ANOVA using [Anova](#)
- Computes effect sizes (partial eta squared)

- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis on significant or close to significant effects
- Generates an 'extended' dataset (extension .ext) containing additional columns '<factorA.factorB:...>' that allows differentiate measures from groups or subjects with same factors levels. This 'extended' dataset is useful for plotting means and post-hoc analysis

### Value

None

### See Also

[Anova](#) for the computation of ANOVA

---

OBrienKaiser

*O'Brien and Kaiser's Repeated-Measures Data*

---

### Description

These contrived repeated-measures data are taken from O'Brien and Kaiser (1985). The data are from an imaginary study in which 16 female and male subjects, who are divided into three treatments, are measured at a pretest, posttest, and a follow-up session; during each session, they are measured at five occasions at intervals of one hour. The design, therefore, has two between-subject and two within-subject factors.

The contrasts for the treatment factor are set to  $-2, 1, 1$  and  $0, -1, 1$ . The contrasts for the gender factor are set to `contr.sum`.

### Usage

OBrienKaiser

### Format

A data frame with 16 observations on the following 17 variables.

treatment a factor with levels control A B

gender a factor with levels F M

pre.1 pretest, hour 1

pre.2 pretest, hour 2

pre.3 pretest, hour 3

pre.4 pretest, hour 4

pre.5 pretest, hour 5

post.1 posttest, hour 1

post.2 posttest, hour 2

```

post.3 posttest, hour 3
post.4 posttest, hour 4
post.5 posttest, hour 5
fup.1 follow-up, hour 1
fup.2 follow-up, hour 2
fup.3 follow-up, hour 3
fup.4 follow-up, hour 4
fup.5 follow-up, hour 5

```

### Source

O'Brien, R. G., and Kaiser, M. K. (1985) MANOVA method for analyzing repeated measures designs: An extensive primer. *Psychological Bulletin* **97**, 316–333, Table 7.

### Examples

```

OBrienKaiser
contrasts(OBrienKaiser$treatment)
contrasts(OBrienKaiser$gender)

```

---

oneWayAnova\_

*One way ANOVA*

---

### Description

This is a modification of `Rcmdr::oneWayAnova()` where supplementary options have been added.

### Usage

```
oneWayAnova_()
```

### Details

Options:

- 'Effect size' compute and prints effect size (partial eta squared)
- 'Summary statistics for groups' prints summary statistics for groups formed by the between subject factor
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test.

On OK, the following operations are carried out:

- Computes ANOVA using `aov`
- Computes effect sizes (partial eta squared)
- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis

**Value**

None

**See Also**

[aov](#) for the computation of ANOVA

---

Pottery

*Chemical Composition of Pottery*

---

**Description**

The data give the chemical composition of ancient pottery found at four sites in Great Britain. They appear in Hand, et al. (1994), and are used to illustrate MANOVA in the SAS Manual. (Suggested by Michael Friendly.)

**Usage**

Pottery

**Format**

A data frame with 26 observations on the following 6 variables.

Site a factor with levels AshleyRails Caldicot IsleThorns Llanedyrn

Al Aluminum

Fe Iron

Mg Magnesium

Ca Calcium

Na Sodium

**Source**

Hand, D. J., Daly, F., Lunn, A. D., McConway, K. J., and E., O. (1994) *A Handbook of Small Data Sets*. Chapman and Hall.

**Examples**

Pottery

---

repMeasAnova	<i>Repeated measures ANOVA</i>
--------------	--------------------------------

---

### Description

Dialog box to (i) select the within-subject variables corresponding to the factors defined in [repMeasAnovaSetup](#), (ii) select the between-subject factors, (iii) set options and (iv) launch the repeated measures anova.

### Usage

```
repMeasAnova(.withinfactors, .withinlevels)
```

### Arguments

`.withinfactors` list of within-subject factors  
`.withinlevels` list of within-subject variables

### Details

Options:

- 'SS type' type of sum of squares, default: type = 2. See Details in [Anova](#)
- 'Effect size' compute and prints effect size (partial eta squared)
- 'Summary statistics for groups' prints summary statistics for groups formed by all combinations of factors
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test on significant ( $p < .05$ ) or close to significant ( $p < 0.1$ ) effects.

On OK, the following operations are carried out:

- Generates a dataset containing complete cases and converted from 'wide' to 'long' format (extension `.cplt.lg`), with the following columns added:
  - 'id' (factor) identifies the subjects.
  - 'DV' (numeric) the measure or dependent variable.
  - 'trial' (int) variable that differentiates multiple measures ('DV') from the same subject ('id').
  - '<factorA>' (factor) levels of the within-subject factor A (one column per within subject factor)
  - '<factorA.factorB:...>' (factor) factor that differentiates multiple measures from groups or subjects with same factors levels

This 'long' dataset is useful for plotting means and post-hoc analysis

- Computes repeated measure ANOVA using [Anova](#)
- Computes effect sizes (partial eta squared)
- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis on significant or close to significant effects

**Value**

None

**Author(s)**

Jessica Mange <jessica.mange@unicaen.fr>

Arnaud Travert <arnaud.travert@unicaen.fr>

**See Also**

[repMeasAnovaSetup](#) for the definition of within factors, [Anova](#) for the computation of ANOVA

---

repMeasAnovaSetup      *Repeated measure ANOVA setup*

---

**Description**

Dialog box to enter the names and levels of within-factors.

**Usage**

```
repMeasAnovaSetup()
```

**Details**

Up to three factors can be entered. A valid within-factor entry must consist in a syntactically valid name (see [make.names](#)) and 2 levels or more.

On OK:

- The first valid entries are kept and stored in `.withinfactors` and `.withinlevels` for factor names and levels, respectively.
- The next dialog box (`repMeasAnova(.withinfactors, .withinlevels)`) is launched.

**Author(s)**

Jessica Mange <jessica.mange@unicaen.fr>

Arnaud Travert <arnaud.travert@unicaen.fr>

**See Also**

[repMeasAnova](#).



# Index

## \* datasets

Moore, [2](#)

OBrienKaiser, [4](#)

Pottery, [6](#)

Anova, [3](#), [4](#), [7](#), [8](#)

aov, [5](#), [6](#)

generalizedLinearModel, [2](#)

generalizedLinearModel\_, [2](#)

make.names, [8](#)

Moore, [2](#)

multiWayAnova\_, [3](#)

OBrienKaiser, [4](#)

oneWayAnova\_, [5](#)

Pottery, [6](#)

repMeasAnova, [7](#), [8](#)

repMeasAnovaSetup, [7](#), [8](#), [8](#)